


**66 – T2 CORE BARREL**




	ITEM DESCRIPTION	PART NUMBERS
1-18	66 – T2 CORE BARREL ASSEMBLY 3.0 M	50-00-100
1-18	66 – T2 CORE BARREL ASSEMBLY 1.5 M	50-00-110
1-11	66 – T2 HEAD ASSEMBLY	50-00-200
01	HEAD	50-01-001
02	SPINDLE	50-01-002
03	SPRING DOWELL	50-01-003
04	OIL SEAL	50-01-004
05	BEARING HOUSING	50-01-005
06	TAPER ROLLER BEARINGS - 2 NOS.	50-01-006
07	WASHER	50-01-007
08	O - RING	50-01-008
09	CASTLE NUT	50-01-009
10	COTTER PIN	50-01-010
11	GREASE FITTING	16-03-024
12	INNER TUBE 3.0 M	50-03-001
12	INNER TUBE 1.5 M	50-03-002
13	INNER TUBE EXTENTION	50-03-003
14	CORE LIFTER	50-03-004
15	CORE LIFTER CASE	50-03-005
16	OUTER TUBE 3.0 M	50-02-001
16	OUTER TUBE 1.5 M	50-02-002
17	BLANK REAMING SHELL	50-02-003
18	BIT BLANK	50-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

**76 – T2 CORE BARREL**




	ITEM DESCRIPTION	PART NUMBERS
1-18	76 – T2 CORE BARREL ASSEMBLY 3.0 M	52-00-100
1-18	76 – T2 CORE BARREL ASSEMBLY 1.5 M	52-00-110
1-11	76 – T2 HEAD ASSEMBLY	52-00-200
01	HEAD	52-01-001
02	SPINDLE	52-01-002
03	SPRING DOWELL	52-01-003
04	O - RING	52-01-004
05	BEARING HOUSING	52-01-005
06	TAPER ROLLER BEARINGS - 2 NOS.	52-01-006
07	WASHER	52-01-007
08	O - RING	52-01-008
09	CASTLE NUT	52-01-009
10	COTTER PIN	52-01-010
11	GREASE FITTING	16-03-024
12	INNER TUBE 3.0 M	52-03-001
12	INNER TUBE 1.5 M	52-03-002
13	INNER TUBE EXTENTION	52-03-003
14	CORE LIFTER	52-03-004
15	CORE LIFTER CASE	52-03-005
16	OUTER TUBE 3.0 M	52-02-001
16	OUTER TUBE 1.5 M	52-02-002
17	BLANK REAMING SHELL	52-02-003
18	BIT BLANK	52-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

**86 – T2 CORE BARREL**




	ITEM DESCRIPTION	PART NUMBERS
1-18	86 – T2 CORE BARREL ASSEMBLY 3.0 M	54-00-100
1-18	86 – T2 CORE BARREL ASSEMBLY 1.5 M	54-00-110
1-11	86 – T2 HEAD ASSEMBLY	54-00-200
01	HEAD	54-01-001
02	SPINDLE	54-01-002
03	SPRING DOWELL	54-01-003
04	OIL SEAL	54-01-004
05	BEARING HOUSING	54-01-005
06	TAPER ROLLER BEARINGS - 2 NOS.	54-01-006
07	WASHER	54-01-007
08	O - RING	54-01-008
09	CASTLE NUT	54-01-009
10	COTTER PIN	54-01-010
11	GREASE FITTING	16-03-024
12	INNER TUBE 3.0 M	54-03-001
12	INNER TUBE 1.5 M	54-03-002
13	INNER TUBE EXTENTION	54-03-003
14	CORE LIFTER	54-03-004
15	CORE LIFTER CASE	54-03-005
16	OUTER TUBE 3.0 M	54-02-001
16	OUTER TUBE 1.5 M	54-02-002
17	BLANK REAMING SHELL	54-02-003
18	BIT BLANK	54-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18” LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

**101 – T2 CORE BARREL**



	ITEM DESCRIPTION	PART NUMBERS
1-18	101 – T2 CORE BARREL ASSEMBLY 3.0 M	56-00-100
1-18	101– T2 CORE BARREL ASSEMBLY 1.5 M	56-00-110
1-11	101 – T2 HEAD ASSEMBLY	56-00-200
01	HEAD	56-01-001
02	SPINDLE	56-01-002
03	SPRING DOWELL	56-01-003
04	O - RING	56-01-004
05	BEARING HOUSING	56-01-005
06	TAPER ROLLER BEARINGS - 2 NOS.	56-01-006
07	BUSH	56-01-007
08	OIL SEAL	56-01-008
09	CASTLE NUT	56-01-009
10	COTTER PIN	56-01-010
11	GREASE FITTING	16-03-024
12	INNER TUBE 3.0 M	56-03-001
12	INNER TUBE 1.5 M	56-03-002
13	INNER TUBE EXTENTION	56-03-003
14	CORE LIFTER	56-03-004
15	CORE LIFTER CASE	56-03-005
16	OUTER TUBE 3.0 M	56-02-001
16	OUTER TUBE 1.5 M	56-02-002
17	BLANK REAMING SHELL	56-02-003
18	BIT BLANK	56-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18” LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.