


76 – T6 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-17	76 – T6 CORE BARREL ASSEMBLY 3.0 M	42-00-100
1-17	76 – T6 CORE BARREL ASSEMBLY 1.5 M	42-00-110
1-11	76 – T6 HEAD ASSEMBLY	42-00-200
01	HEAD	42-01-001
02	BEARING HOUSING	42-01-002
03	TAPER ROLLER BEARINGS – 2 NOS.	42-01-003
04	WASHER	42-01-004
05	CASTLE NUT	42-01-005
06	COTTER PIN	42-01-006
07	SPINDLE	42-01-007
08	O - RING	42-01-008
09	GREASE FITTING	16-03-024
10	HEX - NUT	42-01-009
11	INNER TUBE CAP	42-01-010
12	INNER TUBE 3.0 M	42-03-001
12	INNER TUBE 1.5 M	42-03-002
13	CORE LIFTER	42-03-003
14	CORE LIFTER CASE	42-03-004
15	OUTER TUBE 3.0 M	42-02-001
15	OUTER TUBE 1.5 M	42-02-002
16	BLANK REAMING SHELL	42-02-003
17	BIT BLANK	42-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18” LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

86 – T6 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-17	86 – T6 CORE BARREL ASSEMBLY 3.0 M	44-00-100
1-17	86 – T6 CORE BARREL ASSEMBLY 1.5 M	44-00-110
1-11	86 – T6 HEAD ASSEMBLY	44-00-200
01	HEAD	44-01-001
02	BEARING HOUSING	44-01-002
03	TAPER ROLLER BEARINGS – 2 NOS.	44-01-003
04	WASHER	44-01-004
05	CASTLE NUT	44-01-005
06	COTTER PIN	44-01-006
07	SPINDLE	44-01-007
08	O - RING	44-01-008
09	GREASE FITTING	16-03-024
10	HEX - NUT	44-01-009
11	INNER TUBE CAP	44-01-010
12	INNER TUBE 3.0 M	44-03-001
12	INNER TUBE 1.5 M	44-03-002
13	CORE LIFTER	44-03-003
14	CORE LIFTER CASE	44-03-004
15	OUTER TUBE 3.0 M	44-02-001
15	OUTER TUBE 1.5 M	44-02-002
16	BLANK REAMING SHELL	44-02-003
17	BIT BLANK	44-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

101 – T6 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-17	101 – T6 CORE BARREL ASSEMBLY 3.0 M	46-00-100
1-17	101 – T6 CORE BARREL ASSEMBLY 1.5 M	46-00-110
1-11	101 – T6 HEAD ASSEMBLY	46-00-200
01	HEAD	46-01-001
02	BEARING HOUSING	46-01-002
03	TAPER ROLLER BEARINGS – 2 NOS.	46-01-003
04	WASHER	46-01-004
05	CASTLE NUT	46-01-005
06	COTTER PIN	46-01-006
07	SPINDLE	46-01-007
08	O - RING	46-01-008
09	GREASE FITTING	16-03-024
10	HEX – NUT	46-01-009
11	INNER TUBE CAP	46-01-010
12	INNER TUBE 3.0 M	46-03-001
12	INNER TUBE 1.5 M	46-03-002
13	CORE LIFTER	46-03-003
14	CORE LIFTER CASE	46-03-004
15	OUTER TUBE 3.0 M	46-02-001
15	OUTER TUBE 1.5 M	46-02-002
16	BLANK REAMING SHELL	46-02-003
17	BIT BLANK	46-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18” LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

116 – T6 CORE BARREL



	ITEM DESCRIPTION	PART NUMBERS
1-17	116 – T6 CORE BARREL ASSEMBLY 3.0 M	48-00-100
1-17	116 – T6 CORE BARREL ASSEMBLY 1.5 M	48-00-110
1-11	116- T6 HEAD ASSEMBLY	48-00-200
01	HEAD	48-01-001
02	BEARING HOUSING	48-01-002
03	TAPER ROLLER BEARINGS – 2 NOS.	48-01-003
04	WASHER	48-01-004
05	CASTLE NUT	48-01-005
06	COTTER PIN	48-01-006
07	SPINDLE	48-01-007
08	O - RING	48-01-008
09	GREASE FITTING	16-03-024
10	HEX - NUT	48-01-009
11	INNER TUBE CAP	48-01-010
12	INNER TUBE 3.0 M	48-03-001
12	INNER TUBE 1.5 M	48-03-002
13	CORE LIFTER	48-03-003
14	CORE LIFTER CASE	48-03-004
15	OUTER TUBE 3.0 M	48-02-001
15	OUTER TUBE 1.5 M	48-02-002
16	BLANK REAMING SHELL	48-02-003
17	BIT BLANK	48-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.